





EAN: 4057304014031
static.hansa.com/09469179



- Public & Semi-public, Industry
- Trim Kit, Touchless, Bluetooth®, External transformer
- Concealed wall mounting
- Chrome
- Autofocus infrared sensor, Solenoid valve
- Software settings adjustable via App
- Square rosette



Technical data

Flow properties

Flow-rate at 3 bar **12.0 l/min**

Technical properties

Hot water supply **max. +70°C**
Working pressure **0.5-10 bar**

Software settings

Automatic flush **24 h (off/1-120 h)**
Automatic flush period **6 s (1-120 s)**
Pre-flush period **2 s (OFF / 1-10 s)**

Electronic properties

Electrical Connection **12 V**
Bluetooth version **4.x (D034445)**

Regulations


EU Directives **C € Radio Equipment Directive 2014/53/EU , Low Voltage Directive 2014/35/EU , EMC Directive 2014/30/EU , RoHS Directive 2011/65/EU**

EN standard **EN 15091, ETSI EN 301 489-1 V1.9.2 , ETSI EN 300 328 v2.2.2 , EN 61000-6-1:2007 , EN 61000-6-3:2007+A1:2011+AC:2012 , EN 60335-1:2012+A11+A13+A1+A14+A2+A15:2021, Part 19.11.4**

Protection class **IP 55**

Approvals and Declarations

Declaration of conformity **RED**
EPD **S-P-07752**



Spare parts

SP09469172

	Name	Code
1	Sensor, 6/9/12 V Bluetooth	1002253V
1	Sensor, 12 V Discontinued	59914258
2	Membrane housing	59914231
3	Pilot valve, 6 V	59914232

