




EAN: 4015474277328
static.hansa.com/41909172



- Public & Semi-public
- Trim Kit, Thermostatic, Touchless, External transformer
- Concealed wall mounting
- Chrome
- Temperature control handle
- Safety stop against scalding at 38°C
- Thermostatic cartridge for automatic temperature control
- Autofocus infrared sensor, Solenoid valve
- Software settings adjustable via magnetic key
- Square rosette



Technical data

Flow properties

Flow-rate at 3 bar **12.0 l/min**

Technical properties

Hot water supply **max. +70°C**
 Working pressure **0.5-10 bar**

Software settings

Afterflow period **5 s**
 Max. flow period **5 min**

Electronic properties

Electrical Connection **12 VDC**

Regulations



EU Directives **CE Low Voltage Directive 2014/35/EU , EMC Directive 2014/30/EU , RoHS Directive 2011/65/EU**

EN standard **EN 1111 , EN 15091, ETSI EN 301 489-1 V1.9.2 , ETSI EN 300 328 v2.2.2 , EN 61000-6-1:2007 , EN 61000-6-3:2007+A1:2011+AC:2012 , EN 60335-1:2012+A11+A13+A14+A14+A2+A15:2021, Part 19.11.4**

Protection class **IP 55**

Approvals and Declarations

Declaration of conformity **LVD**



Spare parts

SP41909172

	Name	Code
1	Temperature control handle	59914120
2	Fixing screw	59914254
3	Sensor, 12 V	59914255

