



EAN: 4057304010989
static.hansa.com/44390200



- Shower solutions
- Wall mounted
- Chrome
- Turn operated diverter
- Hand shower, Shower rail, Overhead shower, Adjustable shower rail bracket, Shower hose (1750 mm), Variable fixing points, Rotatable ball joint connection, Anti limescale technology (easy to clean)
- Normal - Even and soft water stream, Refreshing - Strong water stream, activates and refreshes body, Relaxing - Soft water stream, pleasant for entire body
- Non-return valve(s)
- Straight coupling(s), Direct connection, External thread
- Flexible length / can be shortened
- 3 spray functions



Technical data

Flow properties

Flow-rate at 3 bar	15.0 / 15.6 l/min
Pressure loss with flow (0.2 l/s)	1.8 bar

Technical properties


DN-size (nominal dimension)	DN15
Hot water supply	max. +65°C
Working pressure	1-10 bar
Connection size	G1/2
Projection	407 mm
Backflow prevention (EN1717)	EB
Material	Brass

Regulations


EN standard	EN 1112, EN 1113
Noise class	I (ISO 3822)

Approvals and Declarations

Declaration of conformity	DoC
---------------------------	------------



Spare parts



SP44380200

	Name	Code
01	Diverter	59914119
02	Diverter	59914183
03	Non-return valve, DN15	59914250
04	Shower pipe holder	59914773
05	Slide for shower rail	59914392
N.I.	Shower hose, L=1000, G1/2xG1/2	59913813