



EAN: 4057304003035  
[static.hansa.com/45042283](https://static.hansa.com/45042283)



- Washbasin
- Single-lever
- Deck mounted
- Chrome
- Fixed spout
- PCA® - constant flow rate regardless of pressure variations, Standard aerator
- Hot/Cold symbols, Single operating lever/handle
- Pop-up waste with draw-rod
- Limitation option for maximum temperature and flow-rate, Adjustable hot water stop (included, retrofittable)
- $\varnothing$  40 mm ceramic cartridge for flow and temperature control
- Flexible inlet pipes
- 3S-installation system for safe and simple mounting, Inner body made of DZR brass
- grease without Silicon



## Technical data

### Flow properties

Flow-rate at 3 bar (with flow controller) **6.0 l/min**

### Technical properties


DN-size (nominal dimension) **DN15**  
 Hot water supply **max. +70°C**  
 Working pressure **0.5-10 bar**  
 Connection size **G3/8**  
 Projection **107 mm**  
 Backflow prevention (EN1717) **AA**  
 Material **Brass**

### Regulations


EN standard **EN 817**  
 Noise class **I (ISO 3822)**

### Approvals and Declarations

KIWA **K6116/08**  
 DVGW **DW-6506CS0580**  
 ABP **P-IX 29684/IA**  
 Declaration of conformity **DoC**  
 EPD **S-P-06391**




## Spare parts



### SP45052283

	Name	Code
01	Lever	59914453
02	Covering cap	59914478
03	Tightening nut, M42x1.5, SW 38	59914128
04	Cartridge, 4.0 Classic	59914129
05	Fixing screw, M8x1, L=130	59914474
06	Fixing set	59914475
07	Aerator, M24x1, 6 l/min	59914476
08	Bottom seal	59914591
09	Nipple Discontinued	59914133
N.I.	Flexible pipe, L=375, G3/8-M10x1	59914188
N.I.	Pop-up waste, (2019-)	59914764



### SP0034D

	Name	Code
01	Gasket, 57x8.5x1.5	59911456
02	Plug for pop-up waste, d 63 mm	59902021
03	O-ring	59905077
04	Form sealing	59905078
05	Pop-up operating rod	59914477
06	Swivel joint	59904624
07	Lever for pop-up waste	59904622