




EAN: 4057304018312  
[static.hansa.com/515022930004](http://static.hansa.com/515022930004)



- Industry, ECO Building, Housing
- Single-lever
- Deck mounted
- Chrome
- Fixed spout
- PCA® - constant flow rate regardless of pressure variations
- Single operating lever/handle, Hot/Cold symbols
- Pop-up waste with draw-rod, Chain holder without chain
- Limitation option for maximum temperature and flow-rate
- ø 35 mm ceramic cartridge for flow and temperature control
- Flexible inlet pipes
- Inner body made of DZR brass, Rapid installation system



## Technical data

### Flow properties

Flow-rate at 3 bar (with flow controller) **3.4 l/min**

### Technical properties

DN-size (nominal dimension) **DN15**  
 Hot water supply **max. +70°C**  
 Working pressure **0.5-10 bar**  
 Connection size **G3/8**  
 Projection **110 mm**  
 Backflow prevention (EN1717) **AA**  
 Material **Brass**

### Regulations


EN standard **EN 817**  
 Noise class **I (ISO 3822)**

### Approvals and Declarations


KIWA **K6116/08**  
 DVGW **NW-6506BP0361**  
 Declaration of conformity **DoC**  
 EPD **S-P-06391**

### Sustainability

EPD module A1 (kg CO2 eq.) **7,20**  
 EPD module A2 (kg CO2 eq.) **0,34**  
 EPD module A3 (kg CO2 eq.) **0,68**  
 EPD module A1-A3 (kg CO2 eq.) **8,22**  
 EPD module A4 (kg CO2 eq.) **0,23**  
 EPD module B7 (kg CO2 eq.) **1038,24**  
 EPD module C2 (kg CO2 eq.) **0,01**  
 EPD module C3 (kg CO2 eq.) **0,02**  
 EPD module C4 (kg CO2 eq.) **0,06**  
 EPD module D (kg CO2 eq.) **-5,85**



## Spare parts



### SP51402293

|      | Name                             | Code     |
|------|----------------------------------|----------|
| 01   | Lever                            | 59914417 |
| 01   | Long lever                       | 59914633 |
| 02   | Covering cap, 33x3 mm            | 59912504 |
| 03   | Temperature adjustment limiter   | 59912325 |
| 04   | Tightening nut, M40x1            | 1003409V |
| 05   | Cartridge, 3.5 Classic           | 59913075 |
| 06   | Aerator, M24x1 A, low pressure   | 59902692 |
| 06   | Aerator, M24x1, 6 l/min          | 59913727 |
| 07   | Fixing screw, M8x1, L=140        | 59912474 |
| 08   | Fixing set                       | 59910749 |
| N.I. | Pop-up waste                     | 59904620 |
| N.I. | Flexible pipe, L=430, G3/8-M10x1 | 59912515 |
| N.I. | Pop-up operating rod             | 59914464 |
| N.I. | Pop-up waste, (2019-)            | 59914764 |