



EAN: 4057304019814
static.hansa.com/52202267



Introducing the HANSAVANTIS Kitchen Faucet. This faucet is deck-mounted and has a chrome finish with a swivel spout. It has a single-lever, side-operated design with hot/cold symbols for easy temperature adjustments. The inner body is made of DZR brass for durability.

- Kitchen
- Single-lever, side operated
- Deck mounted
- Chrome
- Swivel spout
- Standard aerator
- Single operating lever/handle, Pin shape, Hot/Cold symbols
- Limitation option for maximum temperature and flow-rate
- \varnothing 30 mm ceramic eco cartridge for flow and temperature control
- Flexible inlet pipes
- Inner body made of DZR brass



Technical data

Flow properties

Flow-rate at 3 bar **10.8 l/min**

Technical properties



Hot water supply **max. +70°C**
 Working pressure **0.5-10 bar**
 Connection size **G3/8**
 Projection **247 mm**
 Backflow prevention (EN1717) **AA**
 Material **Brass**

Regulations


EN standard **EN 817**
 Noise class **I (ISO 3822)**

Approvals and Declarations

Declaration of conformity **DoC**
 EPD **S-P-06396**



Spare parts



SP52202267

| | Name | Code |
|----|--|-------------|
| 01 | Aerator, STD M22x1 CC A | 1017047V |
| 02 | High spout, L=208 Discontinued | 59914498 |
| 03 | Spout overturning stopper, 60° / 0° | 59914264 |
| 03 | Spout overturning stopper, 120° Discontinued | 59914429 |
| 04 | Sealing kit for spout | 59914431 |
| 05 | Cartridge, 3.0 | 1014428V |
| 06 | Tightening nut, M34x1.5 | 1012133V |
| 07 | Covering cap | 1012132V |
| 08 | Symbol plug | 1012105V |
| 09 | Lever | 1001749V |
| 10 | Supporting plate | 59910008 |
| 11 | Fixing set | 59913371 |