



EAN: 4057304022128  
[static.hansa.com/5420220780](https://static.hansa.com/5420220780)



When great design becomes an attraction of its own, you know it will make a difference in your life. Besides bringing beauty to life, this new classic is also designed to bring any modern kitchen to the next level. Slender design and graceful shapes make this faucet the highlight of any space.

- Kitchen
- Single-lever, side operated
- Deck mounted
- Brushed steel
- Swivel spout
- Standard aerator
- Single operating lever/handle, Pin shape, Hot/Cold symbols
- Limitation option for maximum temperature and flow-rate
- $\varnothing$  30 mm ceramic eco cartridge for flow and temperature control
- Flexible inlet pipes
- Inner body made of DZR brass



## Technical data

### Flow properties

Flow-rate at 3 bar **10.2 l/min**

### Technical properties


Hot water supply **max. +70°C**  
 Working pressure **0.5-10 bar**  
 Connection size **G3/8**  
 Projection **255 mm**  
 Backflow prevention (EN1717) **AA**  
 Material **Brass**

### Regulations


EN standard **EN 817**  
 Noise class **I (ISO 3822)**

### Approvals and Declarations

Declaration of conformity **DoC**  
 EPD **S-P-06396**



## Spare parts



### SP54202207CLR

	Name	Code
01	Spout overturning stopper, 60° / 0°	59914264
01	Spout overturning stopper, 120° Discontinued	59914429
02	Sealing kit for spout	59914431
03	Cartridge, 3.0	1014428V
04	Tightening nut, M34x1.5	1012133V
05	Supporting plate	59910008
06	Fixing set	59913371