



EAN: 4015474278035
static.hansa.com/55102281



- Washbasin
- Hybrid, Battery-operated
- Deck mounted
- Chrome
- Swivel spout, Pull-out model
- Temperature control handle
- Push pop-up waste without draw-rod
- Limitation option for maximum temperature and flow-rate, Adjustable hot water stop (included, retrofittable)
- Thermostatic cartridge for automatic temperature control, Non-return valve(s), ø 40 mm ceramic cartridge for flow and temperature control
- Flexible inlet pipes
- Software settings adjustable via magnetic key, Waterways without nickel coating



Technical data

Flow properties

Flow-rate at 3 bar	6.0 l/min
--------------------	-----------

Technical properties

DN-size (nominal dimension)	DN15
Hot water supply	max. +70°C
Working pressure	1-10 bar
Connection size	G3/8
Projection	168 mm
Backflow prevention (EN1717)	EB
Material	Brass

Software settings

Automatic flush	off (off/12/24/48/72 h)
Automatic flush period	30 s (10/30/60/120/180/240/300/600 s)

Electronic properties



Battery	AA 1.5 V Lithium x 2
---------	----------------------

Regulations


EU Directives	C € EMC Directive 2014/30/EU , RoHS Directive 2011/65/EU
EN standard	EN 15091, ETSI EN 301 489-1 V1.9.2 , ETSI EN 300 328 v2.2.2 , EN 61000-6-1:2007 , EN 61000-6-3:2007+A1:2011+AC:2012 , EN 60335-1:2012+A11+A13+A1+A14+A2+A15:2021, Part 19.11.4
Protection class	IP 55

Approvals and Declarations

UN38.3	1118120077
Declaration of conformity	EMC




Spare parts



SP55102281

	Name	Code
1	Lever	59914340
2	Symbol plug	59914341
3	Covering cap Discontinued	59914342
4	Tightening nut, M42x1.5, SW 38	59914128
5	Cartridge, 4.0 Classic	59914129
6	O-ring, 53.64x2.62 Discontinued	59914369
7	Supporting plate	59910008
8	Fixing screw, M6x65 Discontinued	59914259
9	Fixing plate with a nut	59914344
10	Rapid pop-up waste	59913988
11	Pull-out spout, (-2018)	59914346
11	Pull-out spout, (2018-)	59914711
12	Aerator and key, M18.5x1	59914350
13	Hose, L=1500, G1/2-M15x1	59914345
14	Sensor, 3 V Discontinued	59914347
15	Counterbalance	59914039
16	Control unit, 3 V / RF Discontinued	59914623
17	Battery, 1.5 V AA Lithium	59914136
18	Solenoid valve complete, 3 V	59914125
19	Membrane for solenoid valve	1006500V
19	Membrane Discontinued	59914126
20	Thermostatic cartridge, 3.4	59914114
21	Temperature control handle Discontinued	59914134
22	Non-return valve, DN15	59914250



SP55102281J

Name	Code
1 Lever	59914340
2 Symbol plug	59914341
3 Covering cap Discontinued	59914342
4 Tightening nut, M42x1.5, SW 38	59914128
5 Cartridge, 4.0 Classic	59914129
6 O-ring, 53.64x2.62 Discontinued	59914369
7 Supporting plate	59910008
8 Fixing screw, M6x65 Discontinued	59914259
9 Fixing plate with a nut	59914344
10 Rapid pop-up waste	59913988
11 Sealing kit, 15x10x1 Discontinued	59902927
12 Litter filters	59914085
13 Non-return valve, DN8	59914030
14 Handle	59914171
15 Thermostatic cartridge, 2.7	59913823
16 Membrane for solenoid valve	1006500V
16 Membrane Discontinued	59914126
17 Solenoid valve complete, 3 V	59914125
18 Counterbalance	59914039
19 Battery, 1.5 V AA Lithium	59914136
20 Control unit, 3 V Discontinued	59914348
21 Sensor, 3 V Discontinued	59914347
22 Hose, L=1500, G1/2-M15x1	59914345
23 Aerator and key, M18.5x1	59914350
24 Pull-out spout, (-2018)	59914346
N.I. Flexible pipe, L=430, G3/8-M8x1	59913964
N.I. Key, 38 mm	59914176
N.I. Socket wrench, 9 mm	59914181