



EAN: 4015474277878
static.hansa.com/55112201



- Washbasin
- Hybrid, Battery-operated, Bidetta
- Deck mounted
- Chrome
- Swivel spout
- Temperature control handle
- Push pop-up waste without draw-rod
- Hand shower, Shower holder, Shower hose (1500 mm)
- Remote-operated Smart Bidetta
- Limitation option for maximum temperature and flow-rate, Adjustable hot water stop (included, retrofittable)
- Thermostatic cartridge for automatic temperature control, Non-return valve(s), Litter filter(s), Ø 40 mm ceramic cartridge for flow and temperature control
- External control unit
- Flexible inlet pipes
- Software settings adjustable via magnetic key, Waterways without nickel coating
- 1 spray function



Technical data

Flow properties

Flow-rate at 3 bar

6.0 / 6.0 l/min

Technical properties

DN-size (nominal dimension)

max. +70°C

Working pressure

Connection size

Projection

Backflow prevention (EN1717)

Material

DN15

1-10 bar

G3/8

168 mm

EB

Brass

Software settings

Automatic flush

Automatic flush period

Max. flow period

off (off/12/24/48/72 h)

30 s (10/30/60/120/180/240/300/600 s)

6 s (4/6/8/10/20/60 s)

Electronic properties

Battery

AA 1.5 V Lithium x 2, CR 2450 3 V

Regulations

EU Directives

EN standard

Protection class

C € EMC Directive 2014/30/EU , RoHS Directive 2011/65/EU

EN 15091, ETSI EN 301 489-1 V1.9.2 , ETSI EN 300 328 v2.2.2 , EN 61000-6-1:2007 , EN 61000-6-3:2007+A1:2011+AC:2012 , EN 60335-1:2012+A11+A13+A1+A14+A2+A15:2021, Part 19.11.4

IP 55



Approvals and Declarations

UN38.3


Declaration of conformity

UN38-3 Energizer L91

EMC



Spare parts



SP55112201

	Name	Code
1	Lever	59914340
2	Symbol plug	59914341
3	Covering cap Discontinued	59914342
4	Tightening nut, M4x1.5, SW 38	59914128
5	Cartridge, 4.0 Classic	59914129
6	O-ring, 53.64x2.62 Discontinued	59914369
7	Supporting plate	59910008
8	Fixing screw, M6x65 Discontinued	59914259
9	Fixing plate with a nut	59914344
10	Rapid pop-up waste	59913988
11	Spout Discontinued	59914343
12	Aerator and key, M18.5x1	59914350
13	Sensor, 3 V Discontinued	59914347
14	Battery, CR2450 3 V Lithium	59914137
15	Control unit, 3 V / RF Discontinued	59914623
16	Battery, 1.5 V AA Lithium	59914136
17	Solenoid valve complete, 3 V	59914125
18	Membrane for solenoid valve	1006500V
18	Membrane Discontinued	59914126
19	Thermostatic cartridge, 3.4	59914114
20	Temperature control handle Discontinued	59914134
21	Non-return valve, DN15	59914250