


EAN: 4015474111370  
[static.hansa.com/5610221178](http://static.hansa.com/5610221178)



- Washbasin
- Touchless
- Deck mounted
- Fixed spout
- Pop-up waste with draw-rod
- Mixing valve for manual temperature control, Litter filter(s)
- Flexible inlet pipes
- Inner body made of DZR brass
- Torrent water flow



## Technical data

### Flow properties

Flow-rate at 3 bar (with flow reducers) **12.0 l/min**

### Technical properties


DN-size (nominal dimension) **DN15**  
 Hot water supply **max. +70°C**  
 Working pressure **1-10 bar**  
 Connection size **G3/8**  
 Projection **169 mm**  
 Material **Brass**

### Regulations


EN standard **EN 15091**  
 Protection class **IP 55**



**reddot design award**  
winner 2003



## Spare parts



### SP5610221178

	Name	Code
1.1	Screw, M4x4	59901027
1.3	O-ring, 9x2	59905095
1.7	Cartridge Discontinued	59913007
1.9	Tightening nut, M37x1, AF30 Discontinued	59912111
1.11	Connection nut Discontinued	59913006
1.12	Fixing set Discontinued	59913004
2	Electronics Discontinued	59912999
2.2	Battery, 2CR5 6 V	59911670
3	Shut-off valve Discontinued	59913005
4	Solenoid valve, SW17 Discontinued	59913000
5	Glass bowl, d 190 mm Transparent	59912517
5.4	Lever Discontinued	59913001
5.6	Screw Discontinued	59913008
6.1	Flexible pipe, L=500, G3/8-M10x1	59911767
6.2	O-ring, d 7.65x1.78	59902337
6.3	Litter filter	59911684
8	Pop-up waste	59911441
8.1	Pop-up operating rod	59912527
8.2	Swivel joint	59904624
N.I.	Coupling pipe, L=430, M10x1	59912550
N.I.	Lithium battery, DL223A /CR-P2	59912443