


EAN: 4057304020599  
[static.hansa.com/58102301](https://static.hansa.com/58102301)






HANSAPRISMA. A Harmony of Simplicity and Elegance.

The timeless silhouette of an ancient, handcrafted bridge, perfectly mirrored in tranquil waters, evolves into a slender and elegant cylindrical thermostat. Meticulously designed handles seamlessly complete the form without compromising functionality, exuding elegance from every angle.

Crafted to echo the refined elements of nature, this design uplifts any bathroom space. Elegant and functional, it reflects the essence of the HANSAPRISMA

ELEVATING YOUR MOMENTS

- Bath tub & Shower
- Thermostatic
- Wall mounted
- Chrome
- Fixed spout
- Standard aerator
- Temperature control handle, Flow control handle, Hot/Cold symbols, Eco feature for water flow
- Turn operated diverter, Integrated into flow control handle
- Safety stop against scalding at 38°C, The housing of the fittings conducts minimal heat
- Ceramic head part for flow control, Thermostatic cartridge for automatic temperature control, Non-return valve(s), Litter filter(s)
- Eccentric coupling(s), Cover plate(s), Silencer(s)
- Inner body made of DZR brass



## Technical data

### Flow properties

Eco-flow at 3 bar	<b>13.8 l/min</b>
Flow-rate at 3 bar	<b>16.2/22.8 l/min</b>

### Technical properties


Hot water supply	<b>max. +80°C</b>
Working pressure	<b>1-10 bar</b>
Connection size	<b>G3/4</b>
Installation width	<b>150 ± 15 mm</b>
Projection	<b>180 mm</b>
Backflow prevention (EN1717)	<b>EB</b>
Material	<b>Brass/Plastic</b>

### Regulations

EN standard	<b>EN 1111</b>
Noise class	<b>I (ISO 3822)</b>

### Approvals and Declarations

Declaration of conformity	<b>DoC</b>
---------------------------	------------



## Spare parts

### SP58102301

	Name	Code
01	Temperature control handle	1018476V
02	Thermostatic cartridge, 3.4	59914114
03	Aerator, STD M24x1, Laminar	1018569V
04	Diverter	59914183
05	Flow control handle	1018477V
06	Non-return valve, DW15/DN10K	1018484V