



EAN: 4015474277182
static.hansa.com/64462201



- Public & Semi-public, Health & Care
- Battery-operated, Touchless
- Wall mounted
- Chrome
- Swivel spout, Profile construction
- Standard aerator
- Temperature control handle
- Limitation option for maximum temperature and flow-rate
- Litter filter(s), Non-return valve(s), Pressostatic cartridge for automatic temperature control
- Autofocus infrared sensor, Solenoid valve, Low battery indicator
- Eccentric coupling(s), with integrated shut-off valve(s)
- Software settings adjustable via magnetic key



Technical data

Flow properties

Flow-rate at 3 bar (with flow controller) **6.0 l/min**

Technical properties

DN-size (nominal dimension) **DN15**
 Hot water supply **max. +70°C**
 Working pressure **1-10 bar**
 Installation width **150 ± 15 mm**
 Projection **150 mm**
 Backflow prevention (EN1717) **AA**
 Material **Brass**

Software settings

Afterflow period **2 s ± 1 s**
 Automatic flush **off (off/24/48/72 h)**
 Automatic flush period **30 s**
 Max. flow period **2 min**
 Opening range **0-5 cm**

Electronic properties



Battery **Lithium 2CR5 6 V**

Regulations


EU Directives **C € EMC Directive 2014/30/EU, RoHS Directive 2011/65/EU**
 EN standard **EN 15091, ETSI EN 301 489-1 V1.9.2, ETSI EN 300 328 v2.2.2, EN 61000-6-1:2007, EN 61000-6-3:2007+A1:2011+AC:2012, EN 60335-1:2012+A11+A13+A1+A14+A2+A15:2021, Part 19.11.4**
 Protection class **IP 55**

Approvals and Declarations

UN38.3 **UN38-3 Maxell 2CR5**
 Declaration of conformity **EMC**



Spare parts



SP64452201

	Name	Code
1	Pilot valve	59914149
2	Membrane	59914150
3	Solenoid valve	59914151
4	Filter sealing, G3/4	59911076
5	Pressostatic cartridge	59914152
6	Temperature control handle	59914153
7	Battery casing	59914154
8	Battery, 2CR5 6 V	59911670
9	Sensor, 6 V	59914155
10	Spout, L=100	59914230
10	Spout, L=200	59914156
11	Aerator, M22x1	59914157
12	O-ring, 13.6x2.4	59914158
13	Bushing (10 pcs), 18/20.6	59914159
14	Retaining ring Discontinued	59914160
N.I.	Magnetic key	59914378