




EAN: 4015474273382
static.hansa.com/64912210



- Washbasin
- Public & Semi-public
- Battery-operated, Touchless
- Deck mounted
- Chrome
- Fixed spout
- Standard aerator
- Temperature control handle
- Adjustable hot water stop (included, retrofittable)
- Mixing valve for manual temperature control, Non-return valve(s), Litter filter(s)
- Autofocus infrared sensor, Solenoid valve, Low battery indicator
- Flexible inlet pipes
- Without pop-up waste, Without draw-rod opening



Technical data

Flow properties

Flow-rate at 3 bar (with flow controller)	6.0 l/min
Pressure loss with flow (0.1 l/s)	2 bar

Technical properties

DN-size (nominal dimension)	DN15
Hot water supply	max. +70°C
Working pressure	1-10 bar
Connection size	G3/8
Projection	115 mm
Backflow prevention (EN1717)	EB
Material	Brass

Software settings

Afterflow period	2 s ± 1 s
Max. flow period	2 min

Electronic properties



Battery	Lithium 2CR5 6 V
---------	-------------------------

Regulations


EU Directives	C € EMC Directive 2014/30/EU , RoHS Directive 2011/65/EU
EN standard	EN 15091, ETSI EN 301 489-1 V1.9.2 , ETSI EN 300 328 v2.2.2 , EN 61000-6-1:2007 , EN 61000-6-3:2007+A1:2011+AC:2012 , EN 60335-1:2012+A11+A13+A14+A15:2021, Part 19.11.4
Noise class	I (ISO 3822)
Protection class	IP 55

Approvals and Declarations

UN38.3	BP 0001-3
Declaration of conformity	EMC



Spare parts



SP64912210

	Name	Code
01	Battery casing, 2CR5 6 V	59914088
02	Battery, 2CR5 6 V	59911670
03	Temperature control handle	59914108
04	Membrane for solenoid valve	1006500V
04	Membrane support ring Discontinued	59914090
05	Solenoid valve, 6 V	59914091
06	Sensor, 6 V Discontinued	59914093
06	Sensor, 6/9/12 V, Bluetooth	59914567
07	Aerator, M24x1, 6 l/min	59913727
08	Litter filters	59914085
09	One-way valve with litter screen	59914086
10	Gasket, 8x14,3x2	59914087
11	Temperature regulator	59914089
12	Cover plug	59914109
N.I.	Flexible pipe, L=375, G3/8-M10x1 (2pcs)	59914095
N.I.	Limiter	59914106